



41

PATENT
Customer No. 22,852
Attorney Docket No. 06753.0489

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Tsuyoshi NAKAMURA et al.) Group Art Unit: 2832
)
Serial No.: 10/026,602) Examiner: B. ROIAS
)
Filed: December 27, 2001)
)
For: RELAY UNIT AND ELECTRICAL)
JUNCTION BOX)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RECEIVED
NOV - 3 2003
TC 2800 MAIL ROOM

RESPONSE TO RESTRICTION REQUIREMENT

In a restriction requirement dated October 1, 2003, the Examiner required
restriction under 35 U.S.C. § 121 between

Group I - Claims 1-5; and

Group II - Claims 6-12.

Applicants provisionally elect to prosecute Group I, claims 1-5 allegedly drawn to
a relay unit, without traverse.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: October 30, 2003

By: 

Michael W. Kim
Reg. No. 51,880

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com